

CS450

# Structure of Higher Level Languages

Lecture 37: Methods & object inheritance

Tiago Cogumbreiro

# Today we will...

- Implement JavaScript's inheritance mechanism
- Learn about prototype-based inheritance

What is the difference between var, let, and const?

# var variable declaration

var declares a function-global variable that can be assigned.

```
var x = 1;

if (x == 1) {
    var x = 2; // We can redeclare the function-global x in any scope
    console.assert(x == 2);
}

console.assert(x == 2);
x = 10; // We can safely assign to x
console.assert(x == 10);
```

Source: [MDN](#)

# let variable declaration

let creates a local variable. let cannot be redeclared in the same scope, but can be redeclared in other scopes. A variable declared with let **can** be assigned. Source: [MDN](#)

```
let x = 1;

if (x === 1) {
  let x = 2; // A new scope declares a new variable x
  console.assert(x === 2);
}
// let x = 2; // Expected: SyntaxError
console.assert(x === 1);
x = 10; // We can safely assign a new value to x
console.assert(x === 10);
```

# const variable declaration

const creates a local variable. const cannot be redeclared in the same scope, but can be declared in other scopes. A variable declared with let **cannot** be assigned. Source: [MDN](#)

```
const number = 42;
{ const number = 52; } // each block creates a new scope
try {
  number = 99;
  console.assert(false);
} catch(err) { console.log(err); } // expected output: TypeError
// const number = 99; // expected output: SyntaxError

console.assert(number = 42);
```

# Object creation

# Object creation

| We can use functions to create objects.

```
function shape(x, y) {  
    return {"x": x, "y": y};  
}  
  
var p = shape(10, 2);  
console.assert(p.x == 10);  
console.assert(p.y == 2);
```

# Object creation

We can use functions to create objects.

```
function shape(x, y) {  
    return {"x": x, "y": y};  
}  
  
var p = shape(10, 2);  
console.assert(p.x == 10);  
console.assert(p.y == 2);
```

```
function rectangle(x, y, width, length) {  
    var obj = shape(x, y);  
    obj.width = width;  
    obj.length = length;  
    return obj;  
}  
  
var r = rectangle(0, 1, 10, 3);  
console.assert(r.x == 0);  
console.assert(r.y == 1);  
console.assert(r.width == 10);  
console.assert(r.height == 3);
```

# Revisiting object creation

Operator `new` can be combined with functions to create objects.

```
function Shape(x, y) {  
    this.x = x;  
    this.y = y;  
}  
p1 = new Shape(0, 1);  
console.assert(p1.x == 0);  
console.assert(p1.y == 1);
```

# Revisiting object creation

Operator `new` can be combined with functions to create objects.

```
function Shape(x, y) {  
    this.x = x;  
    this.y = y;  
}  
  
p1 = new Shape(0, 1);  
console.assert(p1.x == 0);  
console.assert(p1.y == 1);
```

```
function Shape(obj, x, y) {  
    obj.x = x;  
    obj.y = y;  
    return obj;  
}  
  
p1 = Shape({}, 0, 1);  
console.assert(p1.x == 0);  
console.assert(p1.y == 1);
```

We will revisit `new` and how to represent it in our interpreter.

# Object methods

We can use a function's closure to implement object method's (functions bound to a data-structure via `this`).

```
function Shape(x, y) {
  this.x = x;
  this.y = y;
  this.translate = function(x, y) {
    this.x += x;
    this.y += y;
  }
}
p1 = new Shape(0, 1);
p1.translate(10, 20);
console.assert(p1.x == 10);
console.assert(p1.y == 21);
```

```
function Shape(obj, x, y) {
  obj.x = x;
  obj.y = y;
  obj.translate = (x, y) => {
    obj.x += x;
    obj.y += y;
  }
  return obj;
}
p1 = Shape({}, 0, 1);
p1.translate(10, 20);
console.assert(p1.x == 10);
console.assert(p1.y == 21);
```

# Method creation syntactic sugar

JavaScript includes some convenient syntax to declare classes, but semantically, this is just syntactic sugar.

```
class Shape {  
    constructor(x, y) {  
        this.x = x;  
        this.y = y;  
    }  
    translate(x, y) {  
        this.x += x;  
        this.y += y;  
    }  
}  
p1 = new Shape(0, 1);  
p1.translate(10, 20);  
console.assert(p1.x == 10);  
console.assert(p1.y == 21);
```

# Object Inheritance

# Class inheritance

JavaScript includes some convenient syntax to extend classes, but semantically, this feature is also syntactic sugar.

```
class Rectangle extends Shape {  
    constructor(width, height) {  
        super(0, 0);  
        this.width = width;  
        this.height = height;  
    }  
}  
  
var r1 = new Rectangle(10, 20);  
r1.translate(5,6);  
console.assert(r1.x == 5);  
console.assert(r1.y == 6);
```

# Inheritance


```

var animal = { "length": 13, "width": 7 }; // Source: Essence of JavaScript
console.assert(animal["length"] == 13);
console.assert(animal["width"] == 7);
console.assert(animal["foo"] == undefined);

// We can say that a dog is an animal, with the proto field
var dog = { "__proto__": animal, "barks": true };
console.assert(dog["barks"]);
console.assert(dog["length"] == 13);
console.assert(dog["width"] == 7);
console.assert(dog["foo"] == undefined);


// We can then create a special kind of dog, a labrador
var lab = { "__proto__": dog, "length": 2 }
console.assert(lab["barks"]);
console.assert(lab["length"] == 2);
console.assert(lab["width"] == 7);
console.assert(lab["foo"] == undefined);

```



# Quiz

- JavaScript objects can be thought of environments as first-class values.



List all variable bindings  
in object h2

```

let h0 = { "x": 3, "y": 5 };
let h1 = { "z": 6, "x": 7, "__proto__": h0 };
let h2 = { "m": 1, "y": 2, "__proto__": h0 }
  
```

**Figure 3.1:** A simple environment structure.

Source: SICP book Section 3.2


# JavaScript \_\_proto\_\_ deprecated!

- Direct access to attribute \_\_proto\_\_ is discouraged and deprecated!
- However, getting/setting attribute \_\_proto\_\_ is syntactic sugar for GetPrototypeOf and SetPrototypeOf in the JavaScript specification.
- We are using \_\_proto\_\_ mainly because we are following the Essence of JavaScript.
- Prototypes can be updated dynamically due to mutation

# JavaScript function objects

We can use field `prototype` to declare the prototype of a given class. We can also use field `prototype` to add methods to an object. Operation `new` assigns `Shape.prototype` to `p1.__proto__`.

```
function Shape(x, y) {  
    this.x = x;  
    this.y = y;  
}  
// This way we bind the method once  
Shape.prototype.translate = function (x, y) {  
    this.x += x;  
    this.y += y;  
}  
  
p1 = new Shape(0, 1);  
p1.translate(10, 20);  
console.assert(p1.x == 10);  
console.assert(p1.y == 21);
```



# Desugaring object inheritance

```
var Shape = (obj, x, y) => { // Shape's constructor
    obj.x = x;
    obj.y = y;
    return obj
}
Shape.prototype = {} // Shape extends Object
Shape.prototype.translate = function (x, y) { // Also add method translate
    this.x += x;
    this.y += y;
}
p1 = Shape({__proto__: Shape.prototype}, 0, 1); // When creating, init prototype
p1.translate(10, 20);
console.assert(p1.x == 10);
console.assert(p1.y == 21);
```

# Desugaring class creation

## Version 3

```
class Shape {
  constructor(x, y) {
    this.x = x;
    this.y = y;
  }
  translate(x, y) {
    this.x += x;
    this.y += y;
  }
}
p1 = new Shape(0, 1);
```

## Version 2

```
function Shape(x, y) {
  this.x = x;
  this.y = y;
}
Shape.prototype.translate =
  function (x, y) {
    this.x += x;
    this.y += y;
}
p1 = new Shape(0, 1);
```

## Version 1

```
Shape = (obj, x, y) => {
  obj.x = x;
  obj.y = y;
  return obj
}
Shape.prototype = {}
Shape.prototype.translate =
  function (x, y) {
    this.x += x;
    this.y += y;
}
p1 = Shape(
  {"__proto__": Shape.prototype},
  0, 1);
```

# Inheritance desugaring

```
class Rectangle extends Shape {
    constructor(width, height) {
        super(0, 0);
        this.width = width;
        this.height = height;
    }
}
var r1 = new Rectangle(10, 20);
```

```
function Rectangle(width, height)
    Shape.call(this, 0, 0);
    this.width = width;
    this.height = height;
}
Rectangle.prototype =
    {"__proto__": Shape.prototype};
var r1 = new Rectangle(10, 20);
```

```
Rectangle = (obj, w, h) => {
    Shape(obj, 0, 0);
    obj.width = w;
    obj.height = h;
    return obj;
}
Rectangle.prototype =
    {"__proto__": Shape.prototype};
r1 = Rectangle(
    {"__proto__": Rectangle.prototype}
    0, 1);
```

# Summary

- Introduced `--proto--`, which introduces prototype inheritance
- Introduced methods at the prototype level
- Introduced class extension
- Introduced syntactic desugaring