

CS450

Structure of Higher Level Languages

Lecture 5: Lists; quoting

Tiago Cogumbreiro

Today we will learn...

- Being successful in CS 450
- Defining user data-structures
- Serializing code with quote
- Exercises with lists

User data-structures

User data-structures

We can represent data-structures using pairs/lists.
For instance, let us build a 3-D point data type.

```
(require rackunit)
(define p (point 1 2 3))
(check-true (point? p))
(check-equal? (list 1 2 3) p)
(check-equal? 1 (point-x p))
(check-equal? 2 (point-y p))
(check-equal? 3 (point-z p))
(check-true (origin? (list 0 0 0)))
(check-false (origin? p))
```

User data-structures

We can represent data-structures using pairs/lists.

For instance, let us build a 3-D point data type.

```
(require rackunit)
(define p (point 1 2 3))
(check-true (point? p))
(check-equal? (list 1 2 3) p)
(check-equal? 1 (point-x p))
(check-equal? 2 (point-y p))
(check-equal? 3 (point-z p))
(check-true (origin? (list 0 0 0)))
(check-false (origin? p))
```

```
; Constructor
(define (point x y z) (list x y z))
(define (point? x)
  (and (list? x)
        (= (length x) 3)))
; Accessors
(define (point-x pt) (first pt))
(define (point-y pt) (second pt))
(define (point-z pt) (third pt))
; Example function
(define (origin? p) (equal? p (list 0 0 0)))
```

On data-structures

- We only specified **immutable** data structures
- The effect of updating a data-structure is encoded by **creating/copying** a data-structure
- This pattern is known as a persistent data structure

Serializing code

Quoting: a specification

Function `(quote e)` **serializes** expression `e`. Note that expression `e` is **not** evaluated.

- A variable `x` becomes a symbol `'x`. You can consider a **symbol** to be a special kind of string in Racket. You can test if an expression is a symbol with function `symbol?`
- A function application `(e1 ··· en)` becomes a list of the serialization of each `ei`.
- Serializing a `(define x e)` yields a list with: symbol `'define`, the serialization of variable `x`, and the serialization of `e`. Serializing `(define (x1 ··· xn) e)` yields a list with symbol `'define` followed by a nonempty list of symbols `'xi` followed by serialized `e`.
- Serializing `(lambda (x1...xn) e)` yields a list with symbol `'lambda`, followed by a possibly-empty list of symbols `xi`, and the serialized expression `e`.
- Serializing a `(cond (b1 e1) ··· (bn en))` becomes a list with symbol `'cond` followed by a serialized branch. Each branch is a list with two components: serialized expression `bi` and serialized expression `ei`.

Quoting exercises:

- We can write `'term` rather than `(quote term)`
- How do we serialize term `(lambda (x) x)` with `quote`?
- How do we serialize term `(+ 1 2)` with `quote`?
- How do we serialize term `(cond [(> 10 x) x] [else #f])` with `quote`?
- ***Can we serialize a syntactically invalid Racket program?***

Quoting exercises:

- We can write `'term` rather than `(quote term)`
- How do we serialize term `(lambda (x) x)` with `quote`?
- How do we serialize term `(+ 1 2)` with `quote`?
- How do we serialize term `(cond [(> 10 x) x] [else #f])` with `quote`?
- ***Can we serialize a syntactically invalid Racket program? No!*** You would not be able to serialize this expression `(.` Quote only accepts a S-expressions (parenthesis must be well-balanced, identifiers must be valid Racket identifiers, number literals must be valid).
- ***Can we serialize an invalid Racket program?***

Quoting exercises:

- We can write 'term rather than (quote term)
- How do we serialize term (lambda (x) x) with quote?
- How do we serialize term (+ 1 2) with quote?
- How do we serialize term (cond [(> 10 x) x] [else #f]) with quote?
- **Can we serialize a syntactically invalid Racket program? No!** You would not be able to serialize this expression (. Quote only accepts a S-expressions (parenthesis must be well-balanced, identifiers must be valid Racket identifiers, number literals must be valid).
- **Can we serialize an invalid Racket program? Yes.** For instance, try to quote the term:
(lambda)

Quote example

```

#lang racket
(require rackunit)
(check-equal? 3 (quote 3)) ; Serializing a number returns the number itself
(check-equal? 'x (quote x)) ; Serializing a variable named x yields symbol 'x
(check-equal? (list '+ 1 2) (quote (+ 1 2))) ; Serialization of function as a list
(check-equal? (list 'lambda (list 'x) 'x) (quote (lambda (x) x)))
(check-equal? (list 'define (list 'x)) (quote (define (x))))
  
```

Manipulating quoted terms

Specification

```
function-dec = ( lambda ( variable* ) term+ )
```

- How do we get the parameter list?
- How do we get the body?
- What does *variable** mean?
- What does *term*+ mean?

On HW1 Q.4

- The input format of the quoted term are **precisely** described in the slides of Lecture 3
- You do **not** need to test recursively if the terms in the body of a function declaration or definition are valid.
- A list, with one symbol `lambda` followed by zero or more symbols, and one or more terms.

Exercises with lists

Lists: example 1

Summation of all elements of a list

Spec

```
(require rackunit)
(check-equal? 10 (sum-list (list 1 2 3 4)))
(check-equal? 0 (sum-list (list)))
```

Lists: example 1

Summation of all elements of a list

Spec

```
(require rackunit)
(check-equal? 10 (sum-list (list 1 2 3 4)))
(check-equal? 0 (sum-list (list)))
```

Solution

```
#lang racket
; Summation of all elements of a list
(define (sum-list l)
  (cond [(empty? l) 0]
        [else (+ (first l) (sum-list (rest l)))]))
```


Lists: example 2

Returns a list from n down to 1

Spec

```
(require rackunit)
(check-equal? (list) (count-down 0))
(check-equal? (list 3 2 1) (count-down 3))
```

Lists: example 2

Returns a list from n down to 1

Spec

```
(require rackunit)
(check-equal? (list) (count-down 0))
(check-equal? (list 3 2 1) (count-down 3))
```

Solution

```
#lang racket
(define (count-down n)
  (cond [(≤ n 0) (list)]
        [else (cons n (count-down (- n 1)))]))
```

Lists: example 3

Point-wise pairing of two lists

Spec

```
(require rackunit)
(check-equal? (list (cons 3 30) (cons 2 20) (cons 1 10))
              (zip (list 3 2 1) (list 30 20 10)))
(check-equal? (list (cons 3 30) (cons 2 20) (cons 1 10))
              (zip (list 3 2 1) (list 30 20 10 5 4 3 2 1)))
(check-equal? (list (cons 3 30) (cons 2 20) (cons 1 10))
              (zip (list 3 2 1 90 180 270) (list 30 20 10)))
```

Lists: example 3

Point-wise pairing of two lists

Lists: example 3

Point-wise pairing of two lists

Solution

```
#lang racket
(define list-add cons) (define pair cons)
(define (zip l1 l2)
  (cond [(empty? l1) (list)]
        [(empty? l2) (list)]
        [else
         (list-add
          (pair (first l1) (first l2))
          (zip (rest l1) (rest l2)))]))
```